ETAZ7.MH9081 Flammable Liquid Hose Nozzle Valves Certified for Canada

Page Bottom

Flammable Liquid Hose Nozzle Valves Certified for Canada

See General Information for Flammable Liquid Hose Nozzle Valves Certified for Canada

HUSKY CORP MH9081

2325 HUSKY WAY PACIFIC, MO 63069 USA

Non-interchangeable types, Models 1+V111, 1+V111S, 3N1-GS, 1691, 2890, 3370 automatic-closing types with or without latch-open devices.

Interchangeable service-station types, Models 3N1, 1594, 1595 automatic-closing type with or without latch-open device.

Rebuilt non-interchangeable type, Models 1+V111, 1+V111S, automatic-closing type with latch-open device.

Rebuilt non-interchangeable types, Models 3N1-GS, 1691, 2890 automatic closing type with or without latch-open device.

Rebuilt interchangeable service station types, Models 1+X, 1+XS, 3N1, 1594, 1595 automatic-closing type with or without latch-open device.

Last Updated on 2006-09-19

Questions? Notice of Disclaimer

Page Top

Copyright © 2008 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings).

2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2008 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowlodge.

