



EC TYPE-EXAMINATION CERTIFICATE 1

- 2 Component intended for use in Potentially Explosive Atmospheres Directive 94/9/EC
- 3 Certificate Number: Sira 08ATEX9215U
- Issue: 2
- V34, V34I and V34IS Liquid Fuel Dispenser Nozzle 4 Component:
- 5 Applicant: The Husky Corporation
- 6 2325 Husky Way Address: Pacific Missouri 63069 USA
- 7 This component and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.
- 8 Sira Certification Service, notified body number 0518 in accordance with Article 9 of Directive 94/9/EC of 23 March 1994, certifies that this component has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of a component intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential reports listed in Section 14.2.

9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule to this certificate, has been assured by compliance with the following documents:

EN 13012:2001

EN 13463-1:2001

The above list of documents may detail standards that do not appear on the UKAS Scope of Accreditation, but have been added through Sira's flexible scope of accreditation, which is available on request.

- 10 The sign 'U' is placed after the certificate number to indicate that the product assessed is a component and may be subject to further assessment when incorporated into equipment. Any special conditions for safe use are listed in the schedule to this certificate.
- 11 This EC type-examination certificate relates only to the design and construction of the specified component. If applicable, further requirements of this Directive apply to the manufacture and supply of this component.
- 12 The marking of the component shall include the following:

II 1 G EN 13012 Type 1

Project Number 27626 C. Index 09

This certificate and its schedules may only be reproduced in its entirety and without change.

A C Smith Certification Manager

Sira Certification Service

Rake Lane, Eccleston, Chester, CH4 9JN, England

| Tel: | +44 (0) 1244 670900 |
|--------|----------------------------|
| Fax: | +44 (0) 1244 681330 |
| Email: | info@siracertification.com |
| Web: | www.siracertification.com |





SCHEDULE

EC TYPE-EXAMINATION CERTIFICATE

Sira 08ATEX9215U I ssue 2

13 DESCRI PTI ON OF COMPONENT

The V34 Vapour Recovery Nozzles are intended for the automatic delivery of liquid fuel at flow-rate of up to 40 l/min. The main bodies are manufactured from cast aluminium with a separate aluminium delivery spout assembly at the front. At the front of the V34 Vapour Recovery Nozzles there is an entry hole for the attachment of the delivery spout assembly, which is secured via a locking nut. The main bodies are fitted with a trigger type, operating lever assembly that is protected by a guard formed by the cast body, this assembly directly actuates an internal valve to control the delivery of fuel. The main bodies also contain an attitude sensing device and an over-fill cut-off device. The rear of the main bodies have a female-threaded, M34 x 1.5, entry hole to allow a suitable, liquid fuel, delivery hose assembly to be attached.

Design options

- The spout may have an additional vapour recovery sleeve fitted (V34I and V34IS only).
- The main body may be fitted with a Vapour Splash Guard.
- The main body may be fitted with a Full Grip Guard or Reguard.
- The lever assembly may be fitted with a Lever Cover.

Variation 1 - This variation introduced the following changes:

i. To recognise the introduction of a 'Double Poppet' variant.

Variation 2 - This variation introduced the following changes:

i. The recognition of minor drawing modifications; these amendments are administrative or involve changes to the design that do not affect the aspects of the product that are relevant to explosion safety.

14 DESCRI PTI VE DOCUMENTS

14.1 Drawings

Refer to Certificate Annexe.

14.2 Associated Sira Reports and Certificate History

| Issue | Date | Report number | Comment |
|-------|------------------|---------------|---------------------------------------|
| 0 | 23 November 2009 | R18076A | The release of the prime certificate. |
| 1 | 10 June 2010 | R21981A/00 | The introduction of Variation 1. |
| 2 | 30 May 2013 | R27626A/00 | The introduction of Variation 2. |

15 SPECI AL CONDI TI ONS FOR SAFE USE

None

16 ESSENTI AL HEALTH AND SAFETY REQUIREMENTS OF ANNEX II (EHSRs)

The relevant EHSRs that are not addressed by the standards listed in this certificate have been identified and individually assessed in the reports listed in Section 14.2.

17 CONDITIONS OF CERTIFICATION

17.1 The use of this certificate is subject to the Regulations Applicable to Holders of Sira Certificates.

This certificate and its schedules may only be reproduced in its entirety and without change.

Sira Certification Service

Rake Lane, Eccleston, Chester, CH4 9JN, England





SCHEDULE

EC TYPE-EXAMINATION CERTIFICATE

Sira 08ATEX9215U I ssue 2

- 17.2 Holders of EC type-examination certificates are required to comply with the production control requirements defined in Article 8 of directive 94/9/EC.
- 17.3 Each V34 Vapour Recovery Fuel Dispenser Nozzle shall be subjected to the routine tests detailed in EN 13012 Table 6.

This certificate and its schedules may only be reproduced in its entirety and without change.

Sira Certification Service

Rake Lane, Eccleston, Chester, CH4 9JN, England

 Tel:
 +44 (0) 1244 670900

 Fax:
 +44 (0) 1244 681330

 Email:
 info@siracertification.com

 Web:
 www.siracertification.com

Certificate Annexe

| Certificate Number: | | |
|---------------------|---|------|
| Component: | V34, V341 and V341S Liquid Fuel Dispenser Nozzle | CERT |
| Applicant: | The Husky Corporation | |



Issue 0

| Drawing No. | Sheets | Rev. | Date (Sira stamp) | Title |
|-------------|--------|------|-------------------|---|
| V34 ATEX | 1 of 1 | 0 | 02 Nov 09 | V34 ATEX Assemblies |
| O-RING* | 1 of 1 | 7 | 19 Jun 09 | O-Rings |
| 000010 | 1 of 1 | 10 | 19 Jun 09 | Seal, Poppet, .937, .090 Viton [®] |
| 000011 | 1 of 1 | 7 | 19 Jun 09 | Poppet seal Holder, Molded |
| 000020 | 1 of 1 | 12 | 19 Jun 09 | Seal, Packing |
| 000022 | 1 of 1 | 5 | 19 Jun 09 | Ball $^{3}/_{16}$ |
| 000520 | 1 of 1 | 4 | 19 Jun 09 | Ring Retaining, C, Ext, 1000-25 |
| 002001 | 1 of 1 | 8 | 19 Jun 09 | Venturi, 1+10 |
| 002003 | 1 of 1 | 11 | 19 Jun 09 | Plate, Latch, 1+10 |
| 002012 | 1 of 1 | 10 | 19 Jun 09 | Seal, Spout, Buna-N |
| 002018 | 1 of 1 | 4 | 19 Jun 09 | Ring Ret, Bvld, Int, VHO-112ST ZD S |
| 002020 | 1 of 1 | 5 | 19 Jun 09 | Pin, Lever, .186, .781, ZP |
| 002027 | 1 of 1 | 2 | 19 Jun 09 | Cap, Body, 1+10, Machined |
| 002029 | 1 of 1 | 6 | 19 Jun 09 | Nut, Spout, Vapor, Machined |
| 002037 | 1 of 1 | 7 | 19 Jun 09 | Nut, Packing, 1+10 |
| 002061 | 1 of 1 | 6 | 19 Jun 09 | Spring, Packing, .500 X .400 X .048 |
| 002067 | 1 of 1 | 2 | 19 Jun 09 | Ring Ret, Bvld, Int, VHO-193ST ZD S |
| 002174 | 1 of 1 | 11 | 19 Jun 09 | Check Valve, 10S, Unlead, .725 |
| 002184 | 1 of 1 | 1 | 19 Jun 09 | Plug, Freeze, .750 |
| 002624 | 1 of 1 | 7 | 19 Jun 09 | Ring Seal, Plunger, 1+5 Mach |
| 002926 | 1 of 1 | 1 | 19 Jun 09 | Plate, Latch, GPI |
| 003110 | 1 of 1 | 3 | 19 Jun 09 | Spring, Check Valve, 1+10, N/S |
| 003267 | 1 of 1 | 4 | 19 Jun 09 | Attitude Support Assembly |
| 003987 | 1 of 1 | 3 | 19 Jun 09 | Spring, Main, V34 |
| 003991 | 1 of 1 | 8 | 19 Jun 09 | Plunger, Vapor |
| 004021 | 1 of 1 | 6 | 19 Jun 09 | Spout Assy, Unl, Std, V34, 6250 |
| 004044 | 1 of 1 | 2 | 19 Jun 09 | Ring Retaining, M34 |
| 004189 | 1 of 1 | 7 | 19 Jun 09 | Poppet, V34, (6250) |
| 004344 | 1 of 1 | 4 | 19 Jun 09 | Packing Top, White Delrin [®] |
| 004472 | 1 of 1 | 1 | 19 Jun 09 | Washer, Packing Gland |
| 004603 | 1 of 1 | 7 | 19 Jun 09 | Cap, Pressure, Flat Diaphragm |
| 004607 | 1 of 1 | 2 | 19 Jun 09 | Diaphragm, Flat Diaphragm |
| 004752 | 1 of 1 | 0 | 19 Jun 09 | Check Valve Seat, Assembly, V34 |
| 004831 | 1 of 1 | 2 | 19 Jun 09 | Spring, Diaphragm, 1+5 |
| 005174 | 1 of 1 | 2 | 19 Jun 09 | Bushing, Plunger, 5/V34 |
| 005268 | 1 of 1 | 3 | 19 Jun 09 | Stem, 1A3N/S |
| 005269 | 1 of 1 | 1 | 19 Jun 09 | Stem, Pad |
| 005349 | 1 of 1 | 1 | 19 Jun 09 | Washer, V34, Vapor Valve |
| 005535 | 1 of 1 | 0 | 19 Jun 09 | Valve Assy, Vapor, V34 |
| 005687 | 1 of 1 | 3 | 19 Jun 09 | Sleeve, Flat Diaphragm, V34 |
| 005701 | 1 of 1 | 1 | 19 Jun 09 | Spring, Vapor Valve, V34 |
| 005762 | 1 of 1 | 0 | 19 Jun 09 | Spring, Plunger, V34 |
| 005949 | 1 of 1 | 1 | 19 Jun 09 | Spring, Flat Diaphragm 10S |
| 005951 | 1 of 1 | 1 | 19 Jun 09 | Slide, Flat Diaphragm |
| 005955 | 1 of 1 | 2 | 19 Jun 09 | Wheel, NPNF |

This certificate and its schedules may only be reproduced in its entirety and without change.

Sira Certification Service

Rake Lane, Eccleston, Chester, CH4 9JN, England

| Tel: | +44 (0) 1244 670900 |
|--------|----------------------------|
| Fax: | +44 (0) 1244 681330 |
| Email: | info@siracertification.com |
| Web: | www.siracertification.com |

Certificate Annexe

| Certificate Number: | Sira 08ATEX9215U | |
|---------------------|---|-------|
| Component: | V34, V341 and V341S Liquid Fuel Dispenser Nozzle | CERTI |
| | | |



Applicant:

The Husky Corporation

| Drawing No. | Sheets | Rev. | Date (Sira stamp) | Title |
|-------------|--------|------|-------------------|-------------------------|
| 005956 | 1 of 1 | 3 | 19 Jun 09 | Piston, Flat Diaphragm |
| 006757 | 1 of 2 | 35 | 19 Jun 09 | Body, V34, Machining |
| 006757 | 2 of 2 | 35 | 19 Jun 09 | Body, V34, Machining |
| 006759 | 1 of 1 | 2 | 19 Jun 09 | Diaphragm Assy, V34 |
| 006783 | 1 of 1 | 3 | 19 Jun 09 | Spring, Latch Ring, V34 |
| 006788 | 1 of 1 | 5 | 19 Jun 09 | Ring Latch, V34 |
| 007250 | 1 of 1 | 0 | 02 Nov 09 | Tag, Data, Nozzle, ATEX |

* This drawing is removed at Issue 2.

Issue 1

| Drawing | Sheets | Rev. | Date (Sira Stamp) | Title |
|------------------|--------|------|-------------------|-------------------------------|
| 005366 | 1 of 1 | 1 | 07 Apr 10 | Support, Inner, Double Poppet |
| 005367 | 1 of 1 | 1 | 07 Apr 10 | Poppet Holder, Double 1+10 |
| 005370 | 1 of 1 | 1 | 07 Apr 10 | Seal, Inner, Double Poppet |
| 005386 | 1 of 1 | - | 07 Apr 10 | Poppet Assy, 1+10, Double |
| 005681 | 1 of 1 | 0 | 07 Apr 10 | Skirt, Double Poppet, V34 |
| 005682 | 1 of 1 | 1 | 07 Apr 10 | Stem, Double Poppet, V34 |
| 005685 | 1 of 1 | 0 | 07 Apr 10 | Stem Assy, V34, Double Poppet |
| 007323 | 1 of 1 | 0 | 07 Apr 10 | Skirt, Double Poppet, V341A |
| HI_FLOW_DBL_POPT | 1 of 1 | А | 07 Apr 10 | Double Poppet, High Flow |
| STNDRD_DBL_POPT | 1 of 1 | А | 07 Apr 10 | Double Poppet, Standard |
| V34-ATEX | 1 of 1 | А | 07 Apr 10 | V34 Atex Assemblies |

Issue 2

| Drawing No. | Sheets | Rev. | Date (Sira stamp) | Title |
|-------------|--------|------|-------------------|---------------------------------|
| V34-ATEX | 1 of 1 | 2 | 12 Apr 13 | V34 Atex Assemblies |
| 000011 | 1 of 1 | 8 | 09 Aug 12 | Poppet seal Holder, Molded |
| 002001 | 1 of 1 | 9 | 09 Aug 12 | Venturi, 1+10 |
| 002003 | 1 of 1 | 13 | 09 Aug 12 | Plate, Latch, 1+10 |
| 002027 | 1 of 1 | 5 | 09 Aug 12 | Cap, Body, 1+10, Machined |
| 002029 | 1 of 1 | 7 | 09 Aug 12 | Nut, Spout, Vapor, Machined |
| 002174 | 1 of 1 | 12 | 09 Aug 12 | Check Valve, 10S, Unlead, .725 |
| 002926 | 1 of 1 | 2 | 09 Aug 12 | Plate, Latch, GPI |
| 004021 | 1 of 1 | 9 | 09 Aug 12 | Spout Assy, Unl, Std, V34, 6250 |
| 005951 | 1 of 1 | 6 | 09 Aug 12 | Slide, Flat Diaphragm |
| 005955 | 1 of 1 | 3 | 09 Aug 12 | Wheel, NPNF |
| 005956 | 1 of 1 | 4 | 09 Aug 12 | Piston, Flat Diaphragm |
| 006757 | 1 to 2 | 39 | 12 Apr 13 | Body, V34, Machining |
| 005366 | 1 of 1 | 3 | 09 Aug 12 | Support, Inner, Double Poppet |
| 005367 | 1 of 1 | 3 | 09 Aug 12 | Poppet Holder, Double 1+10 |
| 005370 | 1 of 1 | 2 | 09 Aug 12 | Seal, Inner, Double Poppet |
| 005386 | 1 of 1 | 1 | 09 Aug 12 | Poppet Assy, 1+10, Double |
| 005681 | 1 of 1 | 1 | 09 Aug 12 | Skirt, Double Poppet, V34 |
| 005682 | 1 of 1 | 2 | 09 Aug 12 | Stem, Double Poppet, V34 |
| 005685 | 1 of 1 | 1 | 09 Aug 12 | Stem Assy, V34, Double Poppet |
| 007323 | 1 of 1 | 1 | 09 Aug 12 | Skirt, Double Poppet, V341A |

This certificate and its schedules may only be reproduced in its entirety and without change.

Sira Certification Service

Rake Lane, Eccleston, Chester, CH4 9JN, England

Tel:

Fax:

Certificate Annexe

| Certificate Anr | iexe | | |
|---------------------|---|---|-------|
| Certificate Number: | Sira 08ATEX9215U | 5 | |
| Component: | V34, V34I and V34IS Liquid Fuel Dispenser Nozzle | | ATION |
| Applicant: | The Husky Corporation | | |

| Drawing No. | Sheets | Rev. | Date (Sira stamp) | Title |
|-------------|--------|------|-------------------|------------------------------------|
| 004132A | 1 | 1 | 08 Apr 13 | NOZL, V34, UNL, 6250, ATEX |
| 004951 | 1 | 3 | 08 Apr 13 | Nut, Spout, 3NI, Machined |
| 006551A | 1 | 0 | 08 Apr 13 | NOZL, V34I, Unlead, ATEX |
| 006606A | 1 | 1 | 08 Apr 13 | NOZL, V34I, UNL, 6250, W/S Feature |
| 007288A | 1 | 1 | 08 Apr 13 | NOZL, V34, UNL, DP, ATEX |
| 007289A | 1 | 0 | 08 Apr 13 | NOZL, V34I, UNL, DP, ATEX |
| 007312A | 1 | 1 | 08 Apr 13 | NOZL, V34IS, UNL, DP, ATEX |
| 007329 | 1 | 0 | 08 Apr 13 | Insert, Vapor, V34I |
| 007426A | 1 | 1 | 08 Apr 13 | NOZL, V34, UNL, HI Flow DP, ATEX |
| 007427A | 1 | 0 | 08 Apr 13 | NOZL, V34I, UNL, HI Flow DP, ATEX |
| 007428A | 1 | 1 | 08 Apr 13 | NOZL, V34IS, UNL, HI Flow DP, ATEX |
| 007471 | 1 | 0 | 08 Apr 13 | Spout Assy, UNL, V34I |
| 008201A | 1 | 0 | 08 Apr 13 | NOZL, V34I, UL, HF DP WO/CLP, ATEX |
| 010075 | 1 | 0 | 08 Apr 13 | Piston, Flat, Diaphragm, Aluminum |

This certificate and its schedules may only be reproduced in its entirety and without change.

Sira Certification Service

ATION

Rake Lane, Eccleston, Chester, CH4 9JN, England

+44 (0) 1244 670900 +44 (0) 1244 681330 Tel: Fax: info@siracertification.com www.siracertification.com Email: Web: